

Mr. Kevin Adler Remedial Project Manager U.S. Environmental Protection Agency Region V, SR-6J 77 West Jackson Boulevard Chicago, IL 60604-3590



Re: Groundwater Treatment System

Quarterly Monitoring Report – Third Quarter 1999

ACS NPL Site

Dear Mr. Adler:

Please find enclosed two copies of the Groundwater Treatment System, Quarterly Monitoring Report, Third Quarter 1999 for the American Chemical Service NPL Site in Griffith, Indiana. This report is submitted in accordance with the PGCS Performance Standard Verification Plan, April 1997.

We are also sending two copies of this report to IDEM and two copies of this report to Black & Veatch Waste Systems. If you need additional copies of this report please let me know and we can forward them to you, or whomever you specify.

Sincerely,

Tol Peter J. Vagt, Ph.D., CPG

Project Manager

cc: S. Grady (2 copies of each report)

S. Mrkvicka, B&V (2 copies of each report)

ACS Technical Committee (1 copy of each report to each member)

GROUNDWATER TREATMENT SYSTEM

QUARTERLY MONITORING REPORT THIRD QUARTER 1999

AMERICAN CHEMICAL SERVICE NPL SITE GRIFFITH, INDIANA

Montgomery Watson File No. 1252057

Prepared For:

American Chemical Service NPL Site RD/RA Executive Committee Griffith, Indiana

Prepared By:

Montgomery Watson 27755 Diehl Road, Suite 300 Warrenville, Illinois 60555

December 1999



GROUNDWATER TREATMENT SYSTEM

QUARTERLY MONITORING REPORT THIRD QUARTER 1999

AMERICAN CHEMICAL SERVICE NPL SITE GRIFFITH, INDIANA

Prepared For:

American Chemical Service NPL Site RD/RA Executive Committee Griffith, Indiana

Prepared by:

Robert A. Adams, EIT

Project Engineer

DECEMBER 14, 1979

Date

Approved by:

Thomas A Blair P.F.

Project Manager

____ Date

TABLE OF CONTENTS

1.0 INTRODUCTION

Montgomery Watson, on behalf of the ACS RD/RA Executive Committee, commenced operation of an on-site groundwater treatment system at the American Chemical Service NPL Site (ACS Site) in Griffith, Indiana on March 13, 1997. The system was designed to treat groundwater from the perimeter groundwater containment system (PGCS) and certain volumes of water from the Barrier Wall Extraction System (BWES). The treatment consists of a phase-separator for oil and free product removal, equalization tanks, a UV-oxidation unit for destruction of organic constituents, an air stripper to remove methylene chloride and other organics, a chemical precipitation and clarification unit to remove metals, a sand filter to remove suspended solids, and activated carbon vessels for final polishing of the treated groundwater. The treated effluent from the treatment system is discharged to the nearby wetlands, west of the treatment system, in accordance with Agency approvals.

The 22,000-gallon storage tank (fract tank) used during the full-scale pilot study conducted at the treatment plant from the end of July to the middle of November 1998 continued to be used for additional volatile organic compound (VOC) reduction during this reporting period. The rest of the components from the full-scale pilot study were removed in November 1998. The results of the full-scale pilot study were used to design upgrades to the existing groundwater treatment plant. The groundwater treatment plant is being upgraded to handle the anticipated higher levels of organic contamination present in the BWES groundwater. These upgrades, currently under construction, will include phase-separation of free-organic product and oil and grease, aerated equalization of collected groundwater, and activated sludge treatment to reduce the biological oxygen demand (BOD₅) and chemical oxygen demand (COD) in the collected groundwater.

This Groundwater Treatment System report summarizes effluent analytical data and water level gauging data collected from July 1999 through September 1999.

2.0 COMPLIANCE MONITORING

2.1 INTRODUCTION

Effluent samples were periodically collected from the treatment system to demonstrate compliance with the discharge limits (Table 2.1) established by Indiana Department of Environmental Management (IDEM) and United States Environmental Protection Agency (U.S. EPA). To be conservative, the sampling frequency for the effluent samples is currently in exceedence of the requirements contained in the Agency-approved Performance Standard Verification Plan (PSVP) and presented in Table 2.2. During the previous reporting periods, the effluent compliance samples were collected on a monthly basis. The samples will continue to be collected on a monthly basis until the treatment system is operating in a relatively steady state after completion and startup of the groundwater treatment plant upgrades.

Sampling and analyses were performed in accordance with the Agency-approved PSVP Quality Assurance Project Plan (QAPP) prepared by Montgomery Watson for the ACS RD/RA Executive Committee in April 1997. The following paragraphs present details on sampling and analyses, and also summarize the analytical data for the treatment system effluent.

2.2 SAMPLING AND ANALYSES

Effluent samples are collected on a monthly basis. For this reporting period, the samples were collected on the following dates:

Monitoring Period	Sample Date
Month 26	7/19/99
Month 27	8/12/99
Month 28	9/1/99

Effluent samples were collected directly from a sample tap on the effluent line just before it exits the groundwater treatment system building. All effluent samples were placed in contaminant-free containers, as specified in the U.S. EPA Specifications and Guidance for Obtaining Contaminant-Free Sample Containers (U.S. EPA, 1992). Appropriate sample containers and preservatives, as specified in the QAPP, were used to collect and preserve the samples. Following sample collection, the sample containers were refrigerated at 4" C in coolers. Chain-of-Custody forms were prepared to track the transfer of samples from the treatment system to the laboratories. In accordance with the approved QAPP, samples were analyzed by the following analytical methods:

Parameter

VOCs SVOCs Pentachlorophenol Pesticides/PCBs Metals (Excluding Mercury) General Water Quality Parameters (TSS and BOD-5) Mercury pH

Analytical Method

SW-846 8260B SW-846 8270C SW-846 8270C and SIM EPA 608 SW-846 6010 EPA 160.2 and 405.1

SW-846 7470 EPA 150.1

2.3 ANALYTICAL RESULTS

For this monitoring period the system effluent was compliant with the discharge limits presented in Table 2.1. There were no exceedences reported for the Third Quarter 1999 sampling. A comparison of the analytical data collected during the monitoring period with the discharge limits is presented in Table 2.3. Detailed analytical reports are attached in Appendix A.

2.4 GENERAL CORRECTIVE MEASURES

Based on the number of exceedences and apparent external causes during the last sampling period (Second Quarter 1999), we inspected the interior of the 10,000-lb activated carbon cells. The inspection indicated that corrosion was present on the inside of both units including the distribution plates. This corrosion may have been interfering with the adsorption process by allowing the groundwater to short circuit through the GAC unit(s). The GAC units were subsequently sandblasted and cleaned on the interior to remove the corrosion. No exceedences have been observed since the repairs were made.

3.0 TREATMENT SYSTEM PROCESS MODIFICATIONS

There were no long term operational problems with the groundwater treatment system during this quarter. There were not any significant modifications to the treatment system. The only change from historic operating conditions was the continued use of the equalization/aeration tank from the full-scale activated sludge pilot study. The system has been operating in the current configuration with the equalization/aeration tank since November 1998. This configuration was discussed in the quarterly monitoring report for the First Quarter 1999.

Construction of the GWTP upgrades began in August 1999. The work performed during this monitoring period included:

- a) Installation of the secondary containment system for the activated sludge plant and aeration/equalization tank
- b) Performed subgrade and concrete work for the activated sludge plant
- c) Erection of the activated sludge plant
- d) Procurement of process equipment

Additional GWTP upgrade work to be completed during future monitoring periods includes:

- a) Procurement of process equipment
- b) Subgrade and concrete work for the gravity phase-separator tank and building expansion foundation
- c) Erection of the activated sludge plant
- d) Erection of the gravity phase-separator
- e) Erection of the treatment plant building expansion
- f) Installation of the catalytic oxidizer-scrubber unit
- g) Installation of the process pumps and piping
- h) Installation of the electrical and control lines and associated upgrades
- i) Upgrade the programmable logic control center
- j) Start-up the upgraded system after completion of the upgrades

4.0 PGCS AND BWES GAUGING ACTIVITIES

The PGCS trench groundwater extraction wells were operated in "auto" mode continuously throughout this monitoring period. In "auto" mode, each of the PGCS extraction wells are set to turn on or off automatically based on water levels within tank T-2. This mode is used to control the flowrate through the treatment system. In accordance with the PSVP for the Site, a discussion on the effect of the PGCS and BWES on the water table near the Site is presented in each quarterly monitoring report. This section presents a discussion on the groundwater elevation findings during the months of July through September 1999. Groundwater elevation measurements were collected throughout the Site on September 13, 1999. However, to keep track of the groundwater table inside the barrier wall, levels were collected from the BWES piezometers (P-3, P-32, P-49 and P-96) on a regular basis. The levels from these four piezometers are shown in the table below.

	Water Table Elevation				
Date	P-3	P-32	P-49	P-96	
July 9, 1999	634.47	635.22	634.98	632.39	
July 16, 1999	634.97	634.92	634.58	633.89	
July 30, 1999	634.87	634.92	634.88	634.39	
August 6, 1999	634.77	634.72	634.28	631.19	
August 20, 1999	634.77	634.92	634.78	634.29	
September 3, 1999	634.77	634.92	634.68	633.59	
September 13, 1999	634.62	634.64	634.38	633.84	
September 24, 1999	634.57	634.42	634.28	633.99	

These levels indicate that during the reporting period, the water table inside the barrier wall has been maintained at a fairly constant level (approximately 634 to 635) by continued operation of the BWES. These levels have been maintained at a constant level to minimize the amount of BWES groundwater that needs to be treated and maintain the water table at a low enough level to prevent overtopping of the barrier wall. The water elevations inside the barrier wall are depicted graphically on Figure 4.1. P-96 is in close proximity to BWES extraction trench EW-11, and therefore fluctuates in direct response to the operation of the pump in EW-11.

The influence of the PGCS trench on groundwater flow patterns is illustrated by Figure 4.2 (September 1999). The direction of groundwater flow was generally from east to west during these months, with an inward gradient toward the PGCS.

The barrier wall was constructed to isolate a highly contaminated zone under the site and the BWES was installed to collect the contaminated water within the barrier wall. A series of 16 piezometers was installed in eight pairs, one piezometer of each pair on either side of the barrier wall at each of the BWES trench locations, to allow measurement and tracking of water level measurements. In order to ensure that the barrier wall was serving its

designed function, groundwater elevations in these piezometers, both inside and outside the barrier wall, are monitored.

Groundwater elevations inside and outside the barrier wall were monitored on September 13, 1999. Figure 4.3 illustrates these groundwater elevations. Fluctuations in the gradient across the barrier wall occur due to seasonal groundwater conditions, pumping rates from the BWES, and infiltration through the Site covers. However, the groundwater elevations measured in the piezometers indicated that the elevations inside the barrier wall were all 2.78 feet to 6.08 feet higher than the elevations outside the barrier wall. These data demonstrate that the barrier wall is successfully performing the intended function of isolating and containing the groundwater from the known source areas of the Site inside the barrier wall. Water levels from the piezometers on September 13, 1999 are presented below:

Piezometer	Location ⁽¹⁾	Water Level	Difference ⁽²⁾
P-93	Outside	628.30	6.08
P-49 ³	Inside	634.38	0.08
P-95	Outside	627.78	6.06
P-96	Inside	633.84	0.00
P-97	Outside	628.44	6.04
P-98	Inside	634.48	6.04
P-99	Outside	630.76	4.07
P-100	Inside	634.83	4.07
P-101	Outside	631.50	3.42
P-102	Inside	634.92	3. 4 2
P-103	Outside	Dry ⁽⁴⁾	NA
P-104	Inside	635.20	INA
P-105	Outside	631.51	2.78
P-106	Inside	634.29	2.78
P-107	Outside	629.97	4.40
P-108	Inside	634.37	4.40

Notes:

- 1. Location refers inside or outside the barrier wall.
- 2. A positive value indicates that the water level is higher within the barrier wall. A negative value would indicate that the water level is lower within the barrier wall.
- 3. Piezometer P-94 was damaged and could not be measured this monitoring period. Therefore the groundwater level from piezometer P-49 was used to calculate the hydraulic gradient. Piezometer P-94 will be repaired for future monitoring events.
- 4. Piezometer P-103 was dry and could not be measured this monitoring period. The total depth of P-103 is 13.44 feet below the top of the well casing indicating that the groundwater at P-103 was less than 631.53 feet above mean sea level.
- NA Value could not be calculated from single measurement.

It is not the intent to continuously operate with the higher groundwater levels inside the barrier wall. The groundwater levels within the barrier wall during this monitoring period were balanced to maintain a safe level that would not over flow the barrier wall while minimizing the amount of groundwater within the barrier wall that requires collection and treatment resulting in excessive GAC usage. Upon completion of the groundwater

treatment plant upgrades, the groundwater pumping rate of the BWES will be increased to lower the water table for implementation of the in-situ soil vapor extraction systems to be installed in accordance with the Final Remedy.

RAA/JDP/RAA/TAB/raa/PJV/RAA/emp \\CHII_SERVER\JOBS\\1252\\057\\271801\\99_3qtr\Monitoring Report 3_99.doc 1252042.251801



Table 2.1 Groundwater Treatment System Effluent Discharge Limits American Chemical Service NPL Site Griffith, Indiana

Groundwater Quality Parameter	Effluent Standard (Limit)
General Water Quality Parameters	
PH	6 - 9 S.U.
BOD-5	30 mg/L
TSS	30 mg/L
Inorganics	
Arsenic	50 μg/L
Beryllium	NE
Cadmium	4.1 μg/L
Manganese	NE
Mercury	$0.02 \mu \text{g/L} (\text{w/DL} = 0.64)$
Selenium	8.2 μg/L
Thallium	NE
Zinc	411 μg/L
Volatile Organics	
Acetone	6,800 μg/L
Benzene	5 μg/L
2-Butanone	210 μg/L
Chloromethane	NE
1,4 – Dichlorobenzene	NE
1,1 – Dichloroethane	NE
1,2 – Dichloroethene – cis	70 μg/L
Ethylbenzene	34 μg/L
Methylene chloride	5 μg/L
Tetrachloroethene	5 μg/L
Trichloroethene	5 μg/L
Vinyl chloride	2 μg/L
4 – Methyl - 2 – pentanone	15 μg/L
Semi-Volatile Organics	
bis(2 – Chloroethyl) ether	9.6 μg/L
bis(2 – Ethylhexyl) phthalate	6 μg/L
Isophorone	50 μg/L
4 – Methylphenol	34 μg/L
Pentachlorophenol	1 μg/L
PCBs	
PCBs	$0.00056 \mu g/L (w/DL = 0.1 \text{ to } 0.9)$

Notes

NE = No effluent limit established.

DL = Detection limit

Table 2.2 Sampling Frequency Scheme Groundwater Treatment System American Chemical Service NPL Site Griffith, Indiana

Analytes	Cumulative Time From Startup ¹	Frequency ³
Flowrate and pH	-	Continuous
BOD, TSS, SVOCs and Metals	0 to 7 days	Once per day
	8 to 30 days	Once per week
	31 to 180 days	Once per month
	181 days onward ²	Once per quarter
VOCs	0 to 7 days	Once per day
	8 to 30 days	Once per week
	31 days onward ²	Once per month
PCBs	0 to 7 days	Once
	8 to 30 days	Once
	31 to 180 days	Twice
	181 days onward ²	Once per quarter
PCBs in Sediment (one location)		Once per year

Notes

- 1. Cumulative time from startup of the groundwater treatment system. Startup refers to the point at which contaminated groundwater from the extraction trench was being introduced into the treatment system. Startup occurred once the initial equipment/system testing with clean water was completed (March 13, 1997).
- 2. The monitoring period covered in this report is within this cumulative time division.
- 3. Due to the exceedences observed in the previous reporting periods, compliance samples are currently being collected on a monthly basis.

Table 2.3 Summary of Compliance Monitoring Data

Third Quarter 1999

American Chemical Service NPL Site Griffith, Indiana

Event	Month 26	Month 27	Month 28	
Date	7/19/99	8/12/99	9/1/99	Effluent Limits
рН	8.1	8.3	7.5	6-9
TSS	ND	ND	ND	30
BOD	3.4 Q/J	ND	ND	30
Arsenic	2.3 B/	5.6 B	18.2	50
Beryllium	ND	ND	0.1 B/	NE
Cadmium	0.66 B/	1.0 B	0.76 B/	4.1
Manganese	52.8	221 /B	2220	NE
Mercury	ND	ND	ND	0.02 (w/DL = 0.64)
Selenium	ND	ND	ND	8.2
Thallium	ND	ND	ND	NE
Zinc	ND	ND	21.6	411
Benzene	ND	ND	ND	5
Acetone	25 B/	14 B/	4 B/JB	6,800
2-Butanone	2 J	3	ND	210
Chloromethane	ND	ND	ND	NE
1,4-Dichlorobenzene	ND	ND	ND	NE NE
1,1-Dichloroethane	ND	ND	ND	NE
cis-1,2-Dichloroethene	ND	ND	ND	70
Ethylbenzene	ND	ND	ND	34
Methylene chloride	0.7 B/	1 B/	3 B/JB	5
Tetrachloroethene	ND	ND	ND	5
Trichloroethene	ND	ND	ND	5
Vinyl chloride	ND	ND	ND	2
4-Methyl-2-pentanone	ND	ND	ND	15
bis (2-Chloroethyl) ether	ND	ND	ND	9.6
bis(2-Ethylhexyl) - phthalate	ND	ND	I JB/UB	6
4 - Methylphenol	ND	ND	ND	34
Isophorone	ND	ND	ND	50
Pentachlorophenol	ND	ND	ND	1
PCBS	ND	ND	ND	0.00056 (w/DL = 0.1 to 0.9)

Notes

Shaded cells indicate discharge exceedances

pH data is expressed in S.U.


TSS and BOD₅ data is expressed in mg/L

Metals, VOC, SVOC and PCB data is expressed in $\mu g/L$

Suffix Definitions

- _/ = Data qualifier added by laboratory
- /_ = Data qualifier added by data validator
- B = Compound is also detected in the blank
- J = Result is detected below the reporting limit and is an estimated concentration
- Q = Sample was analyzed out of the recommended holding time
- ND = Not detected
- NE = No effluent limit established.
- JB = Analyte is detected in the compliance sample below the reporting limit and is an estimated concentration and the compound is also detected in the method blank resulting in a potential high bias
- UB = Analyte is not detected at or above the indicated concentration due to blank contamination





LEGEND

P106 PIEZOMETER LOCATION AND DESIGNATION

ORCP27 ORC PIEZOMETER LOCATION AND DESIGNATION

MONITORING WELL LOCATION

₩W48 AND DESIGNATION 18G12 STAFF GAUGE LOCATION

AND DESIGNATION WELL/STAFF GAUGE WAS

(DRY) DRY DURING MEASURING

GROUNDWATER ELEVATION (631.56) BARRIER WALL

GRIFFITH LANDFILL BOUNDARY

PERIMETER GROUND WATER CONTAINMENT SYSTEM **EXTRACTION TRENCH**

BWES EXTRACTION TRENCH LOCATION AND DESIGNATION

GROUNDWATER ELEVATION CONTOUR BASED ON GROUNDWATER ELEVATION

NOTE

1. GROUNDWATER ELEVATIONS WERE MEASURED AT THE SITE ON SEPTEMBER 13, 1999



SCALE




AMERICAN CHEMICAL SERVICES, INC. GROUNDWATER TREATMENT SYSTEM GRIFFITH, INDIANA

SEPTEMBER 1999

4.2

FIGURE

AS SHOWN







July 1999 Compliance Sample Analytical Data

PH IN WATER ANALYSIS

SUMMARY REPORT

ITEM	SAMPLE	COMPUCHEM	RESULT	REPORTING LIMIT (Standard pH units)
NO.	IDENTIFIER	NUMBER	(Standard pH units)	
1.	EFFLUENT	951102	8.1	N/A

Reviewed by/ID#: Joe Besile 1238/ Date: 7/27/57

TOTAL SUSPENDED SOLIDS ANALYSIS

SUMMARY REPORT

ITEM	SAMPLE	COMPUCHEM	RESULT	REPORTING LIMIT (mg/L)
NO.	IDENTIFIER	NUMBER	(mg/L)	
1.	EFFLUENT	951102	< 4	4

Reviewed by/ID#: 300 Bando 1238/ Date: 7/27/99

Page 2

Order # B9-07-477 08/04/99 10:10

TEST RESULTS BY SAMPLE

Sample: 01A 99-0549 EFFLUENT

Collected: 07/19/99 Category: WATER

Test Description BOD 5 DAY - EPA 405.1 Result 3.4 Q/J Limit 2.0

Units Analyzed By 5 DAY: mg/L 07/21/99 KG

1 INORGANIC ANALYSES DATA SHEET

EPA	SAMPLE	NO
-----	--------	----

Lab Name: COMP	UCHEM		Contract: SV	W-846	EFFLUENT
Lab Code: COMPU_					
Matrix (soil/w	ater): WATE	R		Lab Samp	ple ID: 951102
Level (low/med): LOW_	<u>.</u>		Date Red	ceived: 07/20/99
% Solids:	0.	0			
Co	ncentration	Units (ug/	L or mg/kg dry	y weight): UG/L
		<u> </u>		Π	
	CAS No.	Analyte	Concentration	C Q	M
	7429-90-5	Aluminum_	33.2		_
	7440-36-0	Antimony_	2.2		_ P_
•	7440-38-2	Arsenic	2.3	В	_ P_
·	7440-39-3	Barium_ Beryllium	59.2 0.10	_U	P P
l	7440-41-7	Cadmium	0.66		- P -
	7440-70-2	Calcium	55500		- - -
•	7440-47-3	Chromium	1.3		- _P -
	7440-48-4	Cobalt	1.3		- _p -
	7440-50-8	Copper	1.6		- _P -
	7439-89-6	Iron	194		- _p -
)	7439-92-1	Lead	1.0		_ P_
	7439-95-4	Magnesium	14200		_ P_
	7439-96-5	Manganese	52.8		_ P_
1	7439-97-6	Mercury	0.02		
	7440-02-0	Nickel	10		_ P_
	7440-09-7	Potassium Selenium	7440		P P
	7440-22-4	Silver	0.30		- P ·
	7440-23-5	Sodium	146000		- - -
	7440-28-0	Thallium	4.1	1 – 1 – – –	- P-
	7440-62-2	Vanadium	0.76	1	- - -
	7440-66-6	Zinc -	1.1	1 (- _P -
				<u> </u>	_
					_ _
Color Before:	COLORLESS	Clari	ty Before: CLE	AR_	Texture:
Color After:	COLORLESS	Clari	ty After: CLE	AR_	Artifacts:
Comments:					
Duplicate (EFFIJIENTO)				• •
Dubitcace_/	TITUUNID/_	·			
				- - -	

FORM I - IN

SW846

VOLATILE ORGANICS ANALYSIS DATA SHEET

EFFLUENT

Contract: 501244 Lab Name: COMPUCHEM

Lab Code: COMPU Case No.: 34442 SAS No.: SDG No.: 00002

Lab Sample ID: 951102 Matrix: (soil/water) WATER

Lab File ID: CN051102A56.D Sample wt/vol: 25.0 (g/mL) ML

Level: (low/med) LOW Date Received: 07/20/99

Date Analyzed: 07/26/99 % Moisture: not dec. _____

Dilution Factor: 1.0 GC Column: EQUITY624 ID: 0.53 (mm)

Soil Aliquot Volume: (uL) Soil Extract Volume: ____(uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L COMPOUND CAS NO. ០.5|ប 74-83-9-----Bromomethane 75-01-4-----Vinyl Chloride____ 0.5 0 0.5 U 75-00-3-----Chloroethane 0.7 B 75-09-2-----Methylene Chloride 0.5 U 75-35-4-----1,1-Dichloroethene 0.5 U 75-34-3-----1,1-Dichloroethane 0.5 U 67-66-3-----Chloroform 0.5 U 107-06-2----1,2-Dichloroethane 71-55-6----1,1,1-Trichloroethane 0.5 0 56-23-5-----Carbon Tetrachloride___ 0.5 U 0.5 U 75-27-4-----Bromodichloromethane 0.5 U 10061-01-5----cis-1,3-Dichloropropene 0.5 U 79-01-6-----Trichloroethene 124-48-1-----Dibromochloromethane 0.5 U 0.5 U 79-00-5-----1,1,2-Trichloroethane 0.5 U 71-43-2----Benzene 10061-02-6----trans-1,3-Dichloropropene 0.5 U 0.5 U 75-25-2-----Bromoform 127-18-4----Tetrachloroethene 0.5 U 0.5 U 79-34-5----1,1,2,2-Tetrachloroethane 0.5 U 108-88-3-----Toluene 0.5 U 108-90-7-----Chlorobenzene 0.5 U 100-41-4-----Ethylbenzene 100-42-5----Styrene 0.5 U 0.5 U 78-87-5-----1, 2-Dichloropropane 0.5 U 74-87-3-----Chloromethane 75-15-0-----Carbon disulfide 0.5 U 67-64-1-----Acetone 25 B 2 U 108-10-1----4-Methyl-2-pentanone 591-78-6----2-hexanone 2 U 78-93-3-----2-butanone 2 J 156-60-5-----trans-1,2-Dichloroethene 0.5 U 156-59-2----cis-1,2-Dichloroethene 0.5 0

1A VOLATILE ORGANICS ANALYSIS DATA SHEET

1330-20-7-----Xylene (total)____

SAMPLE NO.

0.5 U

EFFLUENT Lab Name: COMPUCHEM Contract: 501244 Lab Code: COMPU Case No.: 34442 SAS No.: SDG No.: 00002 Matrix: (soil/water) WATER Lab Sample ID: 951102 Sample wt/vol: 25.0 (g/mL) ML Lab File ID: CN051102A56.D Date Received: 07/20/99 Level: (low/med) LOW % Moisture: not dec. Date Analyzed: 07/26/99 GC Column: EQUITY624 ID: 0.53 (mm) Dilution Factor: 1.0 Soil Extract Volume: ____(uL) Soil Aliquot Volume: ____(uL) CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q

1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

EFFLUENT

Lab Name: COMPUCHEM Contract: 501244

Lab Code: COMPU Case No.: 34442 SDG No.: 00002

Matrix: (soil/water) WATER Lab Sample ID: 951102

Sample wt/vol: 990 (g/mL) ML Lab File ID: GH051102C64

Level: (low/med) LOW Date Received: 07/20/99

% Moisture: ____ decanted: (Y/N) ___ Date Extracted:07/21/99

Concentrated Extract Volume: 1000(uL) Date Analyzed: 07/23/99

Injection Volume: 1.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

		CONCENTRATION UNITS:	
CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q

108-95-2Phenol 10 U 111-44-4Bis (2-chloroethyl) ether 10 U 95-57-82-Chlorophenol 10 U 541-73-11,3-Dichlorobenzene 10 U 106-46-71,4-Dichlorobenzene 10 U 95-50-11,2-Dichlorobenzene 10 U 95-48-72-Methylphenol 10 U 108-60-1bis (2-Chloroisopropyl) ether 10 U 106-44-54-Methylphenol 10 U 621-64-7Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U 88-75-52-Nitrophenol 10 U
111-44-4
95-57-82-Chlorophenol 10 U 541-73-11,3-Dichlorobenzene 10 U 106-46-71,4-Dichlorobenzene 10 U 95-50-11,2-Dichlorobenzene 10 U 95-48-72-Methylphenol 10 U 108-60-1bis(2-Chloroisopropyl)ether 10 U 106-44-54-Methylphenol 10 U 621-64-7Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1
541-73-11, 3-Dichlorobenzene 10 U 106-46-71, 4-Dichlorobenzene 10 U 95-50-11, 2-Dichlorobenzene 10 U 95-48-72-Methylphenol 10 U 108-60-1bis (2-Chloroisopropyl) ether 10 U 106-44-54-Methylphenol 10 U 621-64-7Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
106-46-71,4-Dichlorobenzene 10 U 95-50-11,2-Dichlorobenzene 10 U 95-48-72-Methylphenol 10 U 108-60-1bis(2-Chloroisopropyl)ether 10 U 106-44-54-Methylphenol 10 U 621-64-7Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
95-50-11, 2-Dichlorobenzene 10 U 95-48-72-Methylphenol 10 U 108-60-1bis (2-Chloroisopropyl) ether 10 U 106-44-54-Methylphenol 10 U 621-64-7Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
95-48-72-Methylphenol 10 U 108-60-1bis(2-Chloroisopropyl)ether 10 U 106-44-54-Methylphenol 10 U 621-64-7Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
108-60-1bis (2-Chloroisopropyl) ether 10 U 106-44-54-Methylphenol 10 U 621-64-7Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
106-44-54-Methylphenol 10 U 621-64-7N-Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
621-64-7N-Nitroso-di-N-propylamine 10 U 67-72-1Hexachloroethane 10 U 98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
67-72-1
98-95-3Nitrobenzene 10 U 78-59-1Isophorone 10 U
78-59-1Isophorone 10 U
88-/5-5
105-67-92,4-Dimethylphenol 10 U
111-91-1Bis (2-chloroethoxy) methane 10 U
120-83-22,4-Dichlorophenol 10 U
120-82-11,2,4-Trichlorobenzene 10 U
91-20-3Naphthalene
106-47-84-Chloroaniline 10 U
87-68-3Hexachlorobutadiene
59-50-74-Chloro-3-methylphenol 10 U
91-57-6 10 U
77-47-4Hexachlorocyclopentadiene 10 U
88-06-22,4,6-Trichlorophenol 10 U
95-95-42,4,5-Trichlorophenol 10 U
91-58-72-Chloronaphthalene 10 U
88-74-42-Nitroaniline 20 U
131-11-3Dimethylphthalate
606-20-22,6-Dinitrotoluene 10 U
208-96-8Acenaphthylene 10 U
99-09-23-Nitroaniline 20 U
83-32-9Acenaphthene 10 U

CLIENT SAMPLE NO.

EFFLUENT

Lab Name: COMPUCHEM Contract: 501244

Lab Code: COMPU Case No.: 34442 SDG No.: 00002

Matrix: (soil/water) WATER Lab Sample ID: 951102

Sample wt/vol: 990 (g/mL) ML Lab File ID: GH051102C64

Level: (low/med) LOW Date Received: 07/20/99

% Moisture: ____ decanted: (Y/N) ___ Date Extracted:07/21/99

Concentrated Extract Volume: 1000(uL) Date Analyzed: 07/23/99

Injection Volume: 1.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

	ENTRATION UNITS: L or ug/Kg) UG/L (2 .
51-28-5	10 U 20 U 2	

Data Analysis Technologies, Inc.

6385 Shier Rings Rd. Dublin, OH 43016

Sample Analysis Certificate

Client: CompuChem

Date Sampled:

7/19/99

Client Sample ID: Effluent

Date Received:

7/22/99

Sample Volume: 1000 mls

Lab Sample ID: 0799045-1

Extract Volume: 1.0 ml

Matrix: Aqueous

Target Analyte	Result	Units DL	Prep Date	Analysis Date	
Pentachlorophenol	ND	ug/L 0.1	7/22/99	7/29/99	

Surrogate:	Amount Spiked	Amount Found	Units	%Rec.
2,4,6-Tribromophenol	200	126	ug	63%

FORM 1 PESTICIDE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

EFFLUENT Lab Name: COMPUCHEM Contract: 501244 Lab Code: COMPU Case No.: 34442 SAS No.: SDG No.: 00002 Matrix: (soil/water) WATER Lab Sample ID: 951102 1000 (g/mL) ML Sample wt/vol: Lab File ID: % Moisture: ____ decanted: (Y/N)____ Date Received: 07/20/99 Extraction: (SepF/Cont/Sonc) SEPF Date Extracted: 07/21/99 Concentrated Extract Volume: 5000(uL) Date Analyzed: 07/23/99 Injection Volume: 2.0(uL) Dilution Factor: 1.0 GPC Cleanup: (Y/N) N pH: ___ Sulfur Cleanup: (Y/N) N CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) UG/L 12674-11-2----Aroclor-1016 0.50 U 11104-28-2----Aroclor-1221 1.0 U 11141-16-5----Aroclor-1232 0.50 U 53469-21-9----Aroclor-1242 0.50 U 0.50 U 12672-29-6----Aroclor-1248 11097-69-1----Aroclor-1254 0.50 U 11096-82-5-----Aroclor-1260 0.50 U

FORM I PEST

August 1999 Compliance Sample Analytical Data

PH IN WATER ANALYSIS

SUMMARY REPORT

ITEM NO.	SAMPLE COMPUCHEM IDENTIFIER NUMBER		RESULT (Standard pH units)	REPORTING LIMIT (Standard pH units)
1.	EFFLUENT	954270	8.3	N/A

Reviewed by/ID#: /// / / / / / / / / Date: 8/2/1949

TOTAL SUSPENDED SOLIDS ANALYSIS

SUMMARY REPORT

ITEM NO.	SAMPLE IDENTIFIER	COMPUCHEM NUMBER	RESULT (mg/L)	REPORTING LIMIT (mg/L)
1.	EFFLUENT	954270	< 4	4

Reviewed by/ID#: // Mill- West 1 1992 Date: 8 24/49

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr. P.O. Box 40566 Nashville, TN 37204-0566 Phone 1-615-726-0177

ANALYTICAL REPORT

TESTAMERICA INC.

5752

2700 GATEWAY CENTRE BLVD, #625

MORRISVILLE, NC 27560

Project:

Project Name: ACS-89

Sampler:

Lab Number: 99-A123111 Sample ID: EFFLUENT

Sample Type: Water

Site ID:

Date Collected: 8/12/99

Time Collected: 2:00

Date Received: 8/14/99

Time Received: 9:00

Analyte	Result	Units	Report Linit	Quan Linit	Dil Factor	Date	Tine	Analyst	Method	Natch
NBD Set Up Niochenical Dxygen Demand	DH	Hg/l	6.0	6.0	1	8/14/99 8/19/99		M. Shockley	405. 1	5261

HD = Not detected at the report limit.

Report Approved Bu:

Might A. Rum

Report Date:

Theodore J. Duello, Ph.D., Lab Director Michael H. Dunn, M.S., Technical Director Johnny A. Mitchell, Dir. Technical Services Eric Smith, Assistant Technical Director Gail A Lage, Technical Services

Laboratory Certification Number: 387

000003

1 INORGANIC ANALYSES DATA SHEET

EPA	SAMPLE	NO
	CHILLI	TAO

Lab Name: COMP	UCHEM		Contract: SV	√-846 <u> </u>	EFFLUENT
Lab Code: COMP	PU_ Ca	se No.: 344	442_ SAS No.	:	SDG No.: 00004
Matrix (soil/w	ater): WATE	R		Lab Samp	le ID: 954270
formal /law/mad	I) • T OM			Date Pec	eived: 08/13/99
Level (low/med	., HOW_	_		Date Reci	CIVEG. 00/13/33
s Solids:	0.	0	·		
Со	ncentration	Units (ug	/L or mg/kg dry	y weight)	: UG/L
	CAS No.	Analyte	Concentration	C Q	M
	7429-90-5	Aluminum	73.5	$\left \frac{1}{B}\right $	P
	7440-36-0	Antimony	1.8		P_ P_
**	7440-38-2	Arsenic	5.6		P
	7440-39-3	Barium	103		P
	7440-41-7	Beryllium		U	P
	7440-43-9	Cadmium	1.0		P_
	7440-70-2	Calcium	86700		P_ B
	7440-47-3	Chromium_	0.90		P
	7440-48-4	Cobalt	0.73		P
	7440-50-8	Copper	1.1		P_
	7439-89-6 7439-92-1	Lead	1.0		P_
	7439-95-4	Magnesium	15400		P P
	7439-96-5	Manganese	221		P B
	7439-97-6	Mercury	0.02		
	7440-02-0	Nickel	9.3	i	P
	7440-09-7	Potassium	8240	E	P_
	7782-49-2	Selenium_	3.1		P_ .
	7440-22-4	Silver	0.30		P
	7440-23-5	Sodium	110000		P_ B
	7440-28-0	Thallium_	4.1		P P
	7440-62-2	Vanadium_ Zinc	1.4		.
	7440-00-6	ZIIIC	1.1		P_
					<u> </u>
Color Before:	COLORLESS	Clari	ty Before: CLE	AR_	Texture:
Color After:	COLORLESS	Clari	ty After: CLE	AR_	Artifacts:
Comments:					
Duplicate_((EFFLUENTD)_				
	· · · · · · · · · · · · · · · · · · ·				
		F	ORM I - IN		SW84

Lab Name: COMPUCHEM Contract: 501244

COMPOUND

Lab Code: COMPU Case No.: 34442 SAS No.: SDG No.: 00004

Matrix: (soil/water) WATER Lab Sample ID: 954270

Sample wt/vol: 25.0 (g/mL) ML Lab File ID: CN054270A57.D

Level: (low/med) LOW Date Received: 08/13/99

% Moisture: not dec. Date Analyzed: 08/26/99

GC Column: EQUITY624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: ____(uL) Soil Aliquot Volume: ____(uL)

CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

74-83-9-----Bromomethane 0.5 U 0.5 U 75-01-4-----Vinyl Chloride 75-00-3-----Chloroethane 0.5 U 75-09-2-----Methylene Chloride 1|B 0.5 U 75-35-4-----1,1-Dichloroethene 75-34-3----1,1-Dichloroethane 0.5 U 0.5 U 67-66-3-----Chloroform 107-06-2----1, 2-Dichloroethane 0.5 U 0.5 U 71-55-6----1,1,1-Trichloroethane_ 0.5 U 56-23-5-----Carbon Tetrachloride 0.5 U 75-27-4-----Bromodichloromethane 10061-01-5----cis-1,3-Dichloropropene 0.5 U 79-01-6-----Trichloroethene 0.5 U 124-48-1-----Dibromochloromethane 0.5 U 79-00-5----1,1,2-Trichloroethane 0.5 U 0.5 U 71-43-2----Benzene 10061-02-6----trans-1,3-Dichloropropene 0.5 U 75-25-2-----Bromoform 0.5 U 127-18-4----Tetrachloroethene 0.5 U 79-34-5----1,1,2,2-Tetrachloroethane 0.5 U 108-88-3-----Toluene 0.5 U 108-90-7-----Chlorobenzene 0.5 U 100-41-4-----Ethylbenzene 0.5 U 100-42-5----Styrene 0.5 U 78-87-5-----1, 2-Dichloropropane 0.5 U 74-87-3-----Chloromethane 0.5 U

CAS NO.

75-15-0-----Carbon disulfide

156-60-5----trans-1,2-Dichloroethene

156-59-2----cis-1, 2-Dichloroethene

108-10-1----4-Methyl-2-pentanone

591-78-6----2-hexanone

67-64-1-----Acetone

78-93-3----2-butanone

0.5 U

3

0.5 U

0.5 U

14 B

2 U 2 U

VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

EFFLUENT Contract: 501244 Lab Name: COMPUCHEM

Lab Code: COMPU Case No.: 34442 SAS No.: SDG No.: 00004

Matrix: (soil/water) WATER Lab Sample ID: 954270

Sample wt/vol: 25.0 (g/mL) ML Lab File ID: CN054270A57.D

Level: (low/med) LOW Date Received: 08/13/99

% Moisture: not dec. Date Analyzed: 08/26/99

GC Column: EQUITY624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: ____(uL) Soil Aliquot Volume: ____(uL)

> CONCENTRATION UNITS: COMPOUND

CAS NO. (ug/L or ug/Kg) UG/L Q

1330-20-7-----Xylene (total)_____ 0.5 U

Lab Name: COMPUCHEM Contract: 501244

Lab Code: COMPU Case No.: 34442 SDG No.: 00004

Matrix: (soil/water) WATER Lab Sample ID: 954270

Sample wt/vol: 1050 (g/mL) ML Lab File ID: GH054270B68

Level: (low/med) LOW Date Received: 08/13/99

% Moisture: _____ decanted: (Y/N)___ Date Extracted:08/16/99

Concentrated Extract Volume: 1000(uL) Date Analyzed: 08/18/99

Injection Volume: 1.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

FORM I SV-1

Lab Name: COMPUCHEM Contract: 501244

Lab Code: COMPU Case No.: 34442 SDG No.: 00004

Matrix: (soil/water) WATER Lab Sample ID: 954270

Sample wt/vol: 1050 (g/mL) ML Lab File ID: GH054270B68

Level: (low/med) LOW Date Received: 08/13/99

% Moisture: ____ decanted: (Y/N) ___ Date Extracted:08/16/99

Concentrated Extract Volume: 1000(uL) Date Analyzed: 08/18/99

Injection Volume: 1.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

	CAS NO.
19 U 100-02-74-Nitrophenol 19 U 121-14-22, 4-Dinitrotoluene 10 U 132-64-9Dibenzofuran 10 U 132-64-9Dibenzofuran 10 U 132-64-9Dibenzofuran 10 U 10 U 1005-72-34-Chlorophenyl-phenylether 10 U 100-01-64-Nitroaniline 19 U 100-01-64-Nitroaniline 19 U 100-01-64-Nitrosodiphenylamine 10 U 101-55-34-Bromophenyl-phenylether 10 U 101-55-34-Bromophenyl-phenylether 10 U 118-74-1Hexachlorobenzene 10 U 120-12-7Anthracene 10 U 120-12-7Anthracene 10 U 120-12-7	100-02-7 121-14-2 132-64-9 84-66-2 7005-72-3 86-73-7 100-01-6 534-52-1 86-30-6 101-55-3 87-86-5 85-01-8 85-01-8 86-74-8 129-00-0 85-68-7 117-81-7 117-81-7 205-99-2 117-84-0 205-99-2 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0 117-84-0

FORM I SV-2

FORM 1 PESTICIDE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

Lab Na	Lab Name: COMPUCHEM Contract: 501244				EF1	FLUENT
Lab Co	ode: COMPU	COMPU Case No.: 34442 SAS No.: SDG			No.: (00004
Matrix	x: (soil/water)	WATER	Lab S	Sample ID:	9542	70
Sample	e wt/vol:	1050 (g/mL) ML	Lab I	File ID:		 -
% Mois	sture:	decanted: (Y/N)	Date	Received	: 08/1	3/99
Extrac	ction: (SepF/C	Cont/Sonc) SEPF	Date	Extracted	d:08/1	6/99
Concentrated Extract Volume: 5000(uL) Date Analyzed: 08/27/9				7/99		
Injection Volume: 2.0(uL) Dilution			ion Facto	or: 1.0	Ó	
GPC Cleanup: (Y/N) N pH: Sulfur Cleanup: (Y/N) N				N (N		
	CAS NO.	COMPOUND	CONCENTRAT: (ug/L or ug			Q
	11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1	Aroclor-1016 Aroclor-1221 Aroclor-1232 Aroclor-1242 Aroclor-1248 Aroclor-1254 Aroclor-1260		-	0.48 0.48 0.95 0.48 0.48 0.48	ט ט ט ט

FORM I PEST

Data Analysis Technologies, Inc.

6385 Shier Rings Rd. Dublin, OH 43016

Sample Analysis Certificate

Client: CompuChem

Date Sampled:

8/12/99

Client Sample ID: Effluent

Date Received:

8/14/99

Sample Volume: 1000 mls

Lab Sample ID: 0899023-1

Extract Volume: 1.0 ml

Matrix: Aqueous

Target Analyte	Result	Units DL	Prep Date	Analysis Date
Pentachlorophenol	ND	ug/L 0.1	8/14/99	8/20/99

Suirogate:	Amount Spiked	Amount Found	Units	%Rec.
2,4,6-Tribromophenol	200	101.2	ug	51%

September 1999 Compliance Sample Analytical Data

PH IN WATER ANALYSIS

SUMMARY REPORT

ITEM	SAMPLE	COMPUCHEM	RESULT	REPORTING LIMIT (Standard pH units)
NO.	IDENTIFIER	NUMBER	(Standard pH units)	
1.	EFFLUENT	957700	7.5	N/A

TOTAL SUSPENDED SOLIDS ANALYSIS

SUMMARY REPORT

ITEM	SAMPLE	COMPUCHEM	RESULT	REPORTING LIMIT (mg/L)
NO.	IDENTIFIER	NUMBER	(mg/L)	
1.	EFFLUENT	957700	< 4	4

Reviewed by/ID#: / hile /hon 1 / 1991 Date: 9/15/67

TRITEST, INC. 3909 Beryl Road Raleigh, NC 27607 Telephone: (919) 834-4984 Fax: (919) 834-6497 NC/WW Cert.#: 067

Laboratory Report

Prepared for

Page 1 of 1

Mr. Charles Cabaniss Test America, Inc. 2700 Gateway Centre

Report Date: 9/09/99 Date Received: 9/02/99

Suite 625

Work Order #: 9909-00061

Morrisville, NC 27560

Project ID: 01

Cust. Code: HY9699

Project Info: WW / ACS-89 / 99-0679

Cust. P.O.#:

Sample ID

Date Sampled Time Sampled Matrix WW

Condition 4 ± 2 ° C

ACS-89 EFF. / 99-0679

9/01/1999

15:00

Date

Test Performed

Method

Results Tech

TP

Analyzed Qual

Biochemical Oxygen Demand

EPA 405.1

<2.0 mg/L

9/03/99

Report certified by:

for Tritest, Inc.

1 INORGANIC ANALYSES DATA SHEET

EΡΔ	SAMPLE	MO
LEA	OWALTE	MO.

			Contract: SW	•	± >	
ab Code: COMPU	J_ Cas	se No.: 344	42_ SAS No.:	:		SDG No.: 00009_
atrix (soil/wa	ater): WATE	₹		Lal	b Sampl	e ID: 957700
evel (low/med)	LOW_	_	•	Da	te Rece	ived: 09/02/99
Solids:	0.0	_				
			/I on ma/l		oiah+\	IIC /I
Cor		onics (ug/	L or mg/kg dry	/ W	=1911L):	——'
	CAS No.	Analyte	Concentration	С	Q .	M
	7440-38-2	Arsenic	18.2			P
	7440-41-7	Beryllium	0.10	B		P
	7440-43-9 7439-96-5	Cadmium_ Manganese	0.76			P_ P
		Mercury	0.02			CV
	7782-49-2	Selenium	3.1			P
	7440-28-0	Thallium_	4.1			P_
	7440-66-6	Zinc	21.6	$ _ $		P
			· · · · · · · · · · · · · · · · · · ·	_		
				_ .		
				-		
				- -		
				-		-
				-		
				_ .		
				-	 -	
				-		
		1		1_1		
Color Before:	COLORLESS	Clari	ly Before: CLE	AR_		Texture:
Color After:	COLORLESS	Clari	ty After: CLE	AR_		Artifacts:
Comments:						
						······································

Lab Name: COMPUCHEM

Contract: 501244

Lab Code: COMPU Case No.: 34442 SAS No.: SDG No.: 00009

Matrix: (soil/water) WATER

Lab Sample ID: 957700

Sample wt/vol: 25.0 (g/mL) ML

Lab File ID: CN057700B52.D

Level: (low/med) LOW

Date Received: 09/02/99

% Moisture: not dec. _____

Date Analyzed: 09/15/99

GC Column: EQUITY624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: ____(uL)

Soil Aliquot Volume: ____(uL)

CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NO. COMPOUND

Q

75-01-4	0.5 U 0.5 U
---------	-------------------------------------------------------------------------------------------------

Lab Name: COMPUCHEM Contract: 501244

Lab Code: COMPU Case No.: 34442 SDG No.: 00009

Matrix: (soil/water) WATER Lab Sample ID: 957700

Sample wt/vol: 1020 (g/mL) ML Lab File ID: GH057700A66

Level: (low/med) LOW Date Received: 09/02/99

% Moisture: ____ decanted: (Y/N) ___ Date Extracted:09/02/99

Concentrated Extract Volume: 1000(uL) Date Analyzed: 09/03/99

Injection Volume: 1.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

CAC NO	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	
CAS NO.	COMPOUND	(ug/L or ug/k	g/ 0G/L.	Q
108-95-2	Phenol		10	U
111-44-4	Bis(2- chloroe	thyl)ether	10	U
95-57-8	2-Chloropheno	1	10	U
541-73-1	1,3-Dichlorob	enzene	10	U
106-46-7	1,4-Dichlorob	enzene	10	U
95-50-1	1,2-Dichlorob	enzene	10	U
	2-Methylpheno		10	U
108-60-1	bis(2-Chloroi	sopropyl)ether	10	U
106-44-5	4-Methylpheno	1	10	U
621-64-7	N-Nitroso-di-	N-propylamine	10	U
67-72-1	Hexachloroeth	ane —	10	U
98-95-3	Nitrobenzene		10	U
78-59-1	Isophorone		10	U
88-75-5	2-Nitrophenol		10	U
105-67-9	2,4-Dimethylp	henol	10	U
111-91-1	Bis(2-chloroe	thoxy) methane	10	U
120-83-2	2,4-Dichlorop	henol	10	U
120-82-1	1,2,4-Trichlo	robenzene	10	U
91-20-3	Naphthalene		10	U
106-47-8	4-ChloroaniTi	ne	10	U
	Hexachlorobut		10	U
59-50-7	4-Chloro-3-me	thylphenol	10	U
91-57-6	2-Methylnapht	halene	10	U
77-47-4	Hexachlorocyc	lopentadiene	10	U
88-06-2	2,4,6-TrịchÌc	rophenol	10	U
95-95-4	2,4,5-Trichlo	rophenol	10	U
91-58-7	2-Chloronapht	halene	10	U
	2-Nitroanilin		20	U
131-11-3	Dimethylphtha	late	10	U
	2,6-Dinitroto		. 10	U
208-96-8	Acenaphthyler	le	10	U
99-09-2	3-Nitroanilir	le	20	U
83-32-9	Acenaphthene		10	U
			•	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

EFFLUENT

Lab Name: COMPUCHEM Contract: 501244

Lab Code: COMPU Case No.: 34442 SDG No.: 00009

Matrix: (soil/water) WATER Lab Sample ID: 957700

Sample wt/vol: 1020 (g/mL) ML Lab File ID: GH057700A66

Level: (low/med) LOW Date Received: 09/02/99

% Moisture: ____ decanted: (Y/N) ___ Date Extracted:09/02/99

Concentrated Extract Volume: 1000(uL) Date Analyzed: 09/03/99

Injection Volume: 1.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q

51-28-5	2,4-Dinitrophenol	20 U
100-02-7	4-Nitrophenol	20 U
	2,4-Dinitrotoluene	10 U
	Dibenzofuran	10 U
	Diethylphthalate	10 U
7005-72-3	4-Chlorophenyl-phenylether	10 U
86-73-7	Fluorene	10 U
	4-Nitroaniline	20 U
	4,6-Dinitro-2-methylphenol	20 U
86-30-6	N-Nitrosodiphenylamine (1)	10 U
101-55-3	4-Bromophenyl-phenylether	10 U
119-74-1	Hexachlorobenzene	10 U
	Pentachlorophenol	20 U
	Phenanthrene	10 U
	Anthracene	10 U
	Carbazole	10 U
84-74-2	Di-n-butylphthalate	10 0
206-44-0	Fluoranthene	10 U
129-00-0	Pyrene	10 0
85-68-7	Butylbenzylphthalate	10 U
91-94-1	3,3'-Dichlorobenzidine	10 0
117-81-7	bis(2-ethylhexyl)Phthalate	1 JB/U
56-55-3	Benzo (a) anthracene	10 U
218-01-9		10 U
117-84-0	Di-n-octylphthalate	10 U
205-99-2	Benzo(b) fluoranthene	10 U
207-08-9	Benzo(k) fluoranthene	10 U
50-32-8	Benzo(a) pyrene	10 U
193-39-5	Indeno(1,2,3-c,d)pyrene	10 U
53-70-3	Dibenzo(a,h)anthracene	10 0
191-24-2	Benzo(g,h,i)perylene	10 U
	201120 (9/11/2/2011/10110	
- Cannot he	separated from Diphenylamine	

Data Analysis Technologies, Inc.

6385 Shier Rings Rd. Dublin, OH 43016

Sample Analysis Certificate

Client: CompuChem

Date Sampled: 9/1/99

Client Sample ID: Effluent

Date Received: 9/2/99

Sample Volume: 1000 mls

Lab Sample ID: 0999007-1

Extract Volume: 1.0 ml

Matrix: Aqueous

Target Analyte	Result	Units	DL	Prep Date	Analysis Date
Pentachlorophenol	ND	ug/L	0.1	9/8/99	9/23/99

Surrogate:	Amount Spiked	Amount Found	Units	%Rec.
2,4,6-Tribromophenol	11.4	7.99	ug	70.1%

FORM 1 PESTICIDE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

EFFLUENT Lab Name: COMPUCHEM Contract: 501244 Lab Code: COMPU Case No.: 34442 SAS No.: SDG No.: 00009 Matrix: (soil/water) WATER Lab Sample ID: 957700 Sample wt/vol: 1010 (g/mL) ML Lab File ID: Date Received: 09/02/99 % Moisture: ____ decanted: (Y/N)___ Extraction: (SepF/Cont/Sonc) SEPF Date Extracted: 09/03/98 Concentrated Extract Volume: 5000(uL) Date Analyzed: 09/05/99 Injection Volume: 2.0(uL) Dilution Factor: 1.0 GPC Cleanup: (Y/N) N pH: ___ Sulfur Cleanup: (Y/N) N CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q 12674-11-2----Aroclor-1016 0.50 U 11104-28-2----Aroclor-1221 0.99 U 11141-16-5-----Aroclor-1232 0.50 U 53469-21-9----Aroclor-1242 0.50 U 12672-29-6----Aroclor-1248 0.50 U 11097-69-1-----Aroclor-1254 0.50 U 11096-82-5----Aroclor-1260 0.50 U